EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	40	(sql with functional with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:07
S2	615	((program$4 near language) with functional with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:04
S3	2	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:05
S4	14	S1 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:39
S5	326	((convert$3 or translat$3) with functional with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:12
S6	0	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:05
S7	118	(sql with (functional or declarativ$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:09
S8	0	S7 and S5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:09

EAST Search History

S9	1023	(sql with (function$3 or declarativ$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:11
S10	0	S9 and S5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:11
S11	34843	((function$3 or declarativ$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:11
S12	186	S11 and S5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:11
S13	11	((convert$3 or translat$3) with (function$2 or declarativ$3) with language with (imperative or intepret$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:16
S14	1	S13 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:15
S15	806	((convert$3 or translat$3) with (function$2 or declarativ$3) with language with (imperative or intepret$3 or program$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:15
S16	21	((convert$3 or translat$3) with (quer$3 or sql) with (function$2 or declarativ$3) with language with (imperative or intepret$3 or program$4 or java))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:15

S17	9	S16 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:29
S18	2	("6778126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:29
S19	2	("6378126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:29
S20	11	((convert$3 or translat$3 or compil$3) with (function$2 or declarativ$3) with language with (imperative or intepret$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:21
S21	689	((convert$3 or translat$3 or compil$3) with (function$2 or declarativ$3) with language with (imperative or intepret$3 or (program$4 near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:39
S22	118	(sql with (functional or declarativ$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:23
S23	7	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:22
S24	220	(quer$3 with (functional or declarativ$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:24

S25	9	S21 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:24
S26	17	((quer$3 or sql) with (convert$3 or translat$3 or compil$3) with (function$2 or declarativ$3) with language with (imperative or intepret$3 or (program$4 near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:42
S27	8	S26 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:44
S28	17	((quer$3 or sql) with (convert$3 or translat$3 or compil$3) with (function$2 or declarativ$3 or ML or lisp or haskell) with language with (imperative or intepret$3 or (program$4 near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:43
S29	130	((quer$3 or sql) with (convert$3 or translat$3 or compil$3) with (function$2 or declarativ$3 or ML or lisp or haskell) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:43
S30	12	S29 and imperativ$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:46
S31	5	S30 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 08:41
S32	36	S29 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:46

EAST Search History

S33	9	S32 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:54
S34	11	S29 and (smalltalk or c++) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:54
S35	2	"090068".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 08:41